



HOT & COLD WATER PRESSURE WASHERS

2014 PRICE LIST









Dynablast Division of John Brooks Company Limited 2625 Meadowpine Blvd, Mississauga, Ontario L5N 7K5 Ontario/Quebec/Maritimes Tel: 888-881-6667 Fax: 800-350-5666 Alberta/Manitoba/Sask/B.C. Tel: 800-527-8592 Fax: 800-661-3719 DYNA-0114 January 20th 2014 www.dynablast.ca



Prices and specifications are subject to change without notice

Dynablast HOT - Gasoline Powered- Fuel Oil Heated - Direct drive				
Model #		Features	List Price 2014	
H2527DGF 7.0 HP Subaru EX 2.5 gpm 2700 psi Shown with optional hose reel HR4KIT		Compact design, heavy duty roll cage, insulated gun w/single lance, 50 foot hose, downstream chemical injector, ss coil wrap, schedule 80 heating coil, adj temp. control, 4.4 gal fuel tank, series 60 pump w/built in unloader, 170,000 BTU	\$5,643	
HS4035DGF 14.0 HP Subaru 3.8 gpm 3500 psi			\$6,579	
HS4035DGFS 14.0 HP Subaru Electric Start 3.8 gpm 3500 psi		Heavy duty roll cage, insulated gun w/48 " lance, 50 foot hose, downstream chemical inj., SS coil wrap, schedule 80 heating coil, 12V DC burner, Interpump pump w/separate unloader, 300,000 BTU	\$6,822	
HK4035DGF 14.0 HP Kohler CH440 Electric Start 3.8 gpm 3500 psi	Dynablast Co.	Beckett	\$7,016	

	asoline Powered- l	Fuel Oil Heated - Direct drive	
Model #		Features	List Price 2014
H4035DGF 13.0 HP Honda Electric Start 3.8 gpm 3500 psi Shown with optional hose reel HR4KIT	99	Heavy duty roll cage, insulated gun w/48 " lance, 50 foot hose, downstream chemical inj., SS coil wrap, schedule 80 heating coil, 12V DC burner, Interpump pump w/separate unloader, 300,000 BTU	\$7,053
Powered by HONDA ENGINES Dynablast HOT -	Diesel Powered- Fr	Beckett uel Oil Heated - Direct drive	
PA STEPLAM GROUP	Diccol F Cwelcu T C	DIESEL / DIESEL	
HK4030DDF 9.8 HP Kohler KD420 Electric Start 4 gpm 3000 psi Optional hose reel available HR4KIT IMPROVED FUEL ECONOMY OVER GASOLINE POWERED		Heavy duty roll cage, insulated gun w/48 " lance, 50 foot hose, downstream chemical inj., SS coil wrap, schedule 80 heating coil, 12V DC burner, Interpump pump w/separate easy start unloader, 300,000 BTU	\$10,635
KOHLER.		Beckett (1)	

Dynablast HOT - Gasoline Powered- Belt drive - Fuel Oil Heated - Skid			
Model #		Features	List Price 2014
HDC5235GH 20 HP Honda GX Electric Start 5.2 gpm 3500 psi 12V DC		MHG420F-12VR, 420,000 BTU, skid uni with compact design and sturdy frame 12 gal Poly diesel tank, 12 gal Poly gas tank, insulated gun w/ 48" lance, 50 foo hose, Quick connect downstream chemical inj., Vertical design coil, schedule 80 (1/2"), Interpump pump w/separate unloader valve, 12 volt burner Poly Fuel Tanks Beckett	
HDC5235DK 29 HP Liquid cooled Kubota D1305 Diesel Electric Start 5.2 gpm 3500 psi 12V DC DESEL / DESEL LUboto.		MHG420F-12VR, 420,000 BTU, skid uni with compact design and sturdy frame X 12 gal Poly diesel tank, insulated gu w/ 48" lance, 50 foot hose, Quick conne downstream chemical inj., Vertical design coil, schedule 80 (1/2"), Interpump pump w/separate unloader valve, 12 volt burner Poly Fuel Tanks Beckett	2 1

Dynablast HOT -	Electric Powered -	Fuel Oil Heated - Direct Driv	е
Model #		Features	List Price 2014
H2015DEF1 2.0 HP 115V 1PH 2.0 gpm 1500 psi	Draid-st	Heavy duty frame incl cart w/10" never go flat wheels, insulated gun w/48" lance, 50 foot hose, powder coated coil wrap, downstream chemical injector, Inter pump w/separate unloader,172,000 BTU. Beckett	\$4,759
H3025DEF1 5.0 HP 230V 1PH 3.0 gpm 2500 psi Optional hose reel available HR4KIT		BALDOR TITRAM ORDER Beckett	\$6,211
H3030DEF1 6.0 HP 230V 1PH 3.0 gpm 3000 psi Optional hose reel available HR4KIT		Heavy duty roll cage incl cart w/13" pneumatic wheels, insulated gun w/48" lance, 50 foot hose, stainless steel coil wrap, downstream chemical injector, Inter pump w/separate unloader,300,000 BTU, time delay shutdown.	\$7,369
H3030DEF3D 6.0 HP 575V 3PH 3.0 gpm 3000 psi Optional hose reel available HR4KIT		(P	STANDARD MOTOR \$7625 SUPER E MOTOR N/A
Dynablast HOT - E	lectric Powered - P	ropane Heated - Direct Drive	
H2015DEP1 2.0 HP 2.0 gpm 1500 psi		Heavy duty cart w/ 13" pneumatic wheels, insulated gun w/48" lance, 50 foot hose, stainless steel coil wrap, downstream chemical injector, Inter pump w/separate unloader, 197,000 BTU, standard 36 foot power cord.	\$5,450

Dynablast HOT - Electric Powered - Fuel Oil Heated - Belt Drive			
Model #		Features	List Price 2014
H3525BEF1 6.0 HP 3.5 gpm 2500 psi		BALDOR Beckett	\$7,632
H4030BEF1 7.5 HP / 1PH /230V 3.8 gpm 3000 psi		Heavy duty cart with 13" pneumatic wheels, insulated gun w/48" lance, 50 foot hose, downstream adjustable low pressure chemical injector, Interpump pump w/separate unloader, 315,000 BTU, SS coil cover, time delay shutdown.	\$8,579
H4030BEF3A 7.5 HP / 3PH /208V 3.8 gpm 3000 psi			SUPER E MOTOR \$9357
H4030BEF3B 7.5 HP / 3PH /230V 3.8 gpm 3000 psi			SUPER E MOTOR \$9357
H4030BEF3C 7.5 HP / 3PH /460V 3.8 gpm 3000 psi			SUPER E MOTOR \$9145
H4030BEF3D 7.5 HP / 3PH /575V 3.8 gpm 3000 psi		(SP	SUPER E MOTOR \$9145
Dynablast HOT	- Electric Powered	- Electric Heated - Belt Drive	
H2015BEE3C 2 HP / 3PH /460V 36Kv / 48 amp 2.0 gpm 1500 psi		BALDOR PA	SUPER E MOTOR \$10282
H2015BEE3D 2 HP / 3PH /575V 36Kv / 38 amp 2.0 gpm 1500 psi	- Dynablast	All electric hot water unit fully enclosed, stationary, insulated gun w/48" lance, 50 foot hose, Interpump pump w/separate unloader, downstream chemical injector, SS hood, hour meter, time delay shutdown, 24 volt controls, low water shutdown	SUPER E MOTOR \$10282
H3123BEE363C 5 HP / 3PH /460V 36Kv / 51 amp 3.1 gpm 2300 psi		(SP)	SUPER E MOTOR \$10819

Dynablast HOT - Electric Powered - Electric Heated - Belt Drive			
Model #		Features	List Price 2014
H3123BEE363D 5 HP / 3PH /575V 36Kv / 41 amp 3.1 gpm 2300 psi		BALDOR	SUPER E MOTOR \$10819
H3123BEE483D 5 HP / 3PH /575V 36Kv / 53 amp 3.1 gpm 2300 psi		PA	SUPER E MOTOR \$11077
H3620BEE723C 5 HP / 3PH /460V 72Kv / 96 amp 3.6 gpm 2000 psi			SUPER E MOTOR \$11369
H3620BEE723D 5 HP / 3PH /575V 72Kv / 77 amp 3.6 gpm 2000 psi		All electric hot water unit fully enclosed, stationary, insulated gun w/48" lance, 50 foot hose, Interpump pump w/separate unloader, downstream chemical injector, SS hood, hour meter, time delay shutdown, 24 volt controls, low water shutdown	SUPER E MOTOR \$11369
H4030BEE483D 7.5 HP / 3PH /575V 48Kv / 56 amp 4.0 gpm 3000 psi	Dynablast		SUPER E MOTOR \$11778
H4030BEE3C 7.5 HP / 3PH /460V 72Kv / 98 amp 4.0 gpm 3000 psi			SUPER E MOTOR \$11815
H4030BEE3D 7.5 HP / 3PH /575V 72Kv / 80 amp 4.0 gpm 3000 psi			SUPER E MOTOR \$11815
H5030BEE3C 10 HP / 3PH /460V 72Kv / 105 amp 5.0 gpm 3000 psi			SUPER E MOTOR \$12495
H5030BEE3D 10 HP / 3PH /575V 72Kv / 82 amp 5.0 gpm 3000 psi			SUPER E MOTOR \$12495
H7120BEE3C 10 HP / 3PH /460V 72Kv / 105 amp 7.1 gpm 2000 psi			SUPER E MOTOR \$13267

Dynablast HOT	- Electric Powered	- Electric Heated - Belt Drive	
Model #		Features	List Price 2014
H7120BEE3D 10 HP / 3PH /575V 72Kv / 82 amp 7.1 gpm 2000 psi		BALDOR	SUPER E MOTOR \$13267
H3620BEE3CSS With Stainless Steel Coil 5 HP / 3PH /460V 72Kv / 95 amp 3.6 gpm 2000 psi		All electric hot water unit fully enclosed, stationary, insulated gun w/48" lance, 50 foot hose, Interpump pump w/separate unloader, downstream chemical injector, SS hood, hour meter, time delay shutdown, 24 volt controls, low water	SUPER E MOTOR \$12330
H3620BEE3DSS With Stainless Steel Coil 5 HP / 3PH /575V 72Kv / 77 amp 3.6 gpm 2000 psi		shutdown	SUPER E MOTOR \$12330
HW3104	002	Portable cart for BEE with 4 - 1" wheels	\$590
HW07113 72Kv (maximum 3000 psi)		Stainless steel coils Factory option for BEE series. (maximum 3000 psi)	\$990
HW07114		Factory option for BEE series. Residual current monitoring system (GFCI)	\$1,800
Dynablast STEAN	I - Electric Powered	l - Electric Heated - Belt Drive	9
S1511BEE3C .75 HP / 3PH /460V 72Kv / 93 amp 1.5 gpm 110 psi	0	All electric steam unit fully enclosed, stationary, steam wand, 50 ft steam hose, Interpump pump SS hood, hour	SUPER E MOTOR \$12236
S1511BEE3D .75 HP / 3PH /575V 72Kv / 74 amp 1.5 gpm 110 psi	Dynablast -	meter, 24 volt controls, low water shutdown, Pressure limit valve, Fusible plug & High limit switch	SUPER E MOTOR \$12236

Dynablast HOT - Heater Modules			
MHG400F 120 V 3500 psi 300,000 BTU portable Fuel fired Heat rise 4 gpm @ 135°F	C C C	Heavy duty cart w/13" pneumatic wheels, connector hoses for CW pressure washer hook up, heats up to 5 gpm, high limit temperature switch, SS coil skin, adjustable thermostat.	List Price 2014 \$4,351
MHGSQ420F-12V 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F	Dynablas	Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat.	\$4,895
MHGSQ420F-12VR 12 volt 3500 psi 420,000 BTU Stationary Fuel Oil Heat rise 5 gpm @ 140°F	lynablast	Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat, wired remote control box	\$5,158
MHGSQ700F 120 volt 3500 psi 700,000 BTU stationary Fuel Oil Heat rise 7 gpm @ 145°F	Oynablast -	3/4" COII Stationary module on compact square design, heats up to 7 / 10 gpm, flow	\$6,422
MHGSQ900F 120 volt 3500 psi 900,000 BTU Stationary Fuel Oil Heat rise 10 gpm @ 140°F		switch, primary control, high limit temp switch, adjustable thermostat. FUEL OIL 120 VOLT	\$7,895

Dynablast HOT - HYDROVAC Heater Modules			
Model #		Features	List Price 2014
HV420F-12VLS 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F NO STEAM	Dynablas!	Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat. Momentary Test, Flow & Thermostat, Fuel valve indicator,	\$5,264
HV420F-12VRLS 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F NO STEAM	lynablast	Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat. Momentary Test, Flow & Thermostat, Fuel valve indicator, wired remote control box	\$5,579
HV700FLS 120 volt 3500 psi 700,000 BTU stationary Fuel Oil Heat rise 7 gpm @ 145°F NO STEAM	1	3/4" COIL NO STEAM Stationary module on compact square design, heats up to 7 / 10 gpm, flow switch, high limit temp switch,	\$8,927
HV900FLS 120 volt 3500 psi 900,000 BTU stationary Fuel Oil Heat rise 10 gpm @ 140°F NO STEAM		HV120DPLS Diagnostic panel included (MC7211 thermostat, voltmeter, Momemtary test , Flow or Thermostat, Fuel valve indicator , Burner on/off control)	\$10,158

Dynablast HOT - HYDROVAC Heater Modules			
Model #		Features	List Price 2014
HV420F-12V 12 volt 3500 psi 420,000 BTU stationary <i>Beckett</i> Fuel Oil Heat rise 5 gpm @ 140°F STEAM	Dynah asi	Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat. High Pressure & Steam operating valves, Momentary Test, Flow & Thermostat, Fuel valve indicator, High Pressure / Steam control,	\$6,527
HV420F-12VR 12 volt 3500 psi 420,000 BTU stationary <i>Beckett</i> Fuel Oil Heat rise 5 gpm @ 140°F STEAM	Dyna last	Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat. High Pressure & Steam operating valves, Momentary Test, Flow & Thermostat, Fuel valve indicator, High Pressure / Steam control, wired remote control box	\$6,790
HV700F 120 volt 3500 psi 700,000 BTU stationary Fuel Oil Heat rise 7 gpm @ 145°F STEAM		Stationary module on compact square design, heats up to 7 / 10 gpm, flow switch, high limit temp switch, High Pressure & Steam operating valves, HV120DP Diagnostic panel included	\$9,658
HV900F 120 volt 3500 psi 900,000 BTU <i>Beckett</i> stationary Fuel Oil Heat rise 10 gpm @ 140°F STEAM		(MC7211 thermostat, voltmeter, Momemtary test , Flow or Thermostat, Fuel valve indicator , Burner on/off control, High pressure / Steam control)	\$11,106

Dynablast HOT - Heater Modules			
Model #		Features	List Price 2014
HW52082U Beckett GeniSys Burner Contractor Primary control Diagnostic Tool	0000	420, 700, 900 Heaters Only To Display current burner status, control timings and burner cycle history. Required for a service technician servicing MHGSQF & HVF heater modules	\$108
8779-03 Diesel Fuel Tank		12 Gallon Poly Diesel Fuel Tank for use on MHGSQF & HVF heater modules	\$311
MHGE400N / P Millivolt 3500 psi 345,000 BTU stationary		Stationary module on sturdy frame, connector hoses for CW pressure washer hook up, heats up to 5 gpm, high	\$4,512
MHGE400N-24V / P-24V 24 volt 3500 psi 345,000 BTU stationary	Unailas	limit temp. switch, standing pilot ignition, SS coil wrap, adjustable thermostat, B vent rated coil.	\$4,512
MHGSQ35N / P millivolt 3500 psi 345,000 BTU stationary Natural gas	Dynablasi -	Stationary module on compact square base design, connector hoses for CW pressure washer hook up, heats up to 5 gpm, high limit temp. switch, standing pilot ignition, SS coil skin, adjustable thermostat, draft hood included.	\$3,867
MHGSQ35NEI / PEI electronic ignition 3500 psi 345,000 BTU stationary Natural gas	Dynablast -	Stationary module on compact square base design, connector hoses for CW pressure washer hook up, heats up to 5 gpm, high limit temp. switch, electronic ignition, 24 volt, SS coil skin, adjustable thermostat, draft hood included.	\$4,083

Dynablast HOT - Heater Modules			
Model #		Features	List Price 2014
MHGE500NSQ / PSQ Electronic ignition 3500 psi 345,000 BTU stationary SQ Base	Dynablast*	Stationary module on compact square base design, connector hoses for CW pressure washer hook up, heats up to 5 gpm, high limit temp. switch, electronic ignition, 24 volt, SS coil skin, adjustable thermostat, draft hood included.	\$4,351
Dynablast ULTRA HO	T - Electric Powere	d - Natural Gas or Propane l	Heated
UHE422BEN/P 1 5 HP 230V 1PH 2200 PSI 4 GPM		BALDOR	\$9,538
		PA	
UHE422BEN/P 3A 5 HP 208V 3PH 2200 PSI 4 GPM			SUPER E MOTOR \$9442
UHE422BEN/P 3B 5 HP 230V 3PH 2200 PSI 4 GPM		Electric powered, Ultra Hot units available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, upstream high pressure chemical injector w/float box, SS coil wrap,	SUPER E MOTOR \$9442
UHE422BEN/P 3C 5 HP 460V 3PH 2200 PSI 4 GPM		350,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.	SUPER E MOTOR \$9442
UHE422BEN/P 3D 5 HP 575V 3PH 2200 PSI 4 GPM		"B" VENT	SUPER E MOTOR \$9442
UHE430BEN/P 1 7.5 HP 230V 1PH 3000 PSI 4 GPM		SP	\$10,527

Dynablast ULTRA HOT - Electric Powered - Natural Gas or Propane Heated			
Model #		Features	List Price 2014
UHE430BEN/P 3A 7.5 HP 208V 3PH 3000 PSI 4 GPM		BALDOR INTERPUMP GROUP	SUPER E MOTOR \$9990
UHE430BEN/P 3B 7.5 HP 230V 3PH 3000 PSI 4 GPM			SUPER E MOTOR \$9990
UHE430BEN/P 3C 7.5 HP 460V 3PH 3000 PSI 4 GPM		Electric powered, Ultra Hot units available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, upstream high pressure chemical injector w/float box, SS coil wrap, 350,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.	SUPER E MOTOR \$9990
UHE430BEN/P 3D 7.5 HP 575V 3PH 3000 PSI 4 GPM		"B" VENT	SUPER E MOTOR \$9990
UHE520BEN/P 1 7.5 HP 230V 1PH 2000 PSI 5 GPM		(3P)	\$10,608

Dynablast ULTRA HOT - Electric Powered - Natural Gas or Propane Heated			
Model #		Features	List Price 2014
UHE520BEN/P 3A 7.5 HP 208V 3PH 2000 PSI 5 GPM		BALDOR	SUPER E MOTOR \$9883
UHE520BEN/P 3B 7.5 HP 230V 3PH 2000 PSI 5 GPM		PA	SUPER E MOTOR \$9883
UHE520BEN/P 3C 7.5 HP 460V 3PH 2000 PSI 5 GPM		"B" VENT	SUPER E MOTOR \$9883
UHE520BEN/P 3D 7.5 HP 575V 3PH 2000 PSI 5 GPM		Electric powered, Ultra Hot units	SUPER E MOTOR \$9883
UHE530BEN/P 1 10 HP 230V 1PH 3000 PSI 5 GPM		available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, upstream high pressure chemical injector w/float box, SS coil wrap, 350,000 BTU, Interpump pump	\$11,278
UHE530BEN/P 3A 10 HP 208V 3PH 3000 PSI 5 GPM		w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.	SUPER E MOTOR \$10634
UHE530BEN/P 3B 10 HP 230V 3PH 3000 PSI 5 GPM			SUPER E MOTOR \$10634
UHE530BEN/P 3C 10 HP 460V 3PH 3000 PSI 5 GPM			SUPER E MOTOR \$10634
UHE530BEN/P 3D 10 HP 575V 3PH 3000 PSI 5 GPM		SP.	SUPER E MOTOR \$10634

Dynablast ULTRA HOT - Electric Powered - Natural Gas or Propane Heated			
Model #		Features	List Price 2014
HW24607		UHE Series - dual propane tank bracket (2 x 40 lbs tanks - tanks not included)	\$200
HWFI800B		UHE Series - Propane regulator & dual propane hoses	\$505
HW40568	GC	UHE Series - 13" x 4 wheel kit with Handle	\$448
HW07032	True Brazza baltered	UHE Series - three switch remote box - pump, burner & soap control (solenoid valve included)	\$474
N6W HW07178		Stainless steel coil Factory option for UHE series. (maximum 3500 psi)	\$1,800
Dynablast BEN/P -	Electric Powered -	Natural Gas or Propane Hea	ted
H3823BEN/P 1 6 HP 230V 1PH 2300 PSI 3.8 GPM		Electric powered, available in Natural	\$7,587
H3620BEN/P 3A 5 HP 208V 3PH 2000 PSI 3.6 GPM	Inalization of the second of t	gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, downstream low pressure chemical injector, SS coil wrap, 345,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.	SUPER E MOTOR \$7294
H3620BEN/P 3B 5 HP 230V 3PH 2000 PSI 3.6 GPM		"A" VENT	SUPER E MOTOR \$7316

Dynablast BEN/P -	Electric Powered -	Natural Gas or Propane Hea	ted
Model #		Features	List Price 2014
H3620BEN/P 3C 5 HP 460V 3PH 2000 PSI 3.6 GPM		BALDOR	SUPER E MOTOR \$7316
H3620BEN/P 3D 5 HP 575V 3PH 2000 PSI 3.6 GPM		PA	SUPER E MOTOR \$7316
H4030BEN/P 1 7.5 HP 230V 1PH 3000 PSI 4 GPM		"A" VENT	\$8,173
H4030BEN/P 3A 7.5 HP 208V 3PH 3000 PSI 4 GPM		Electric powered, available in Natural	SUPER E MOTOR \$7605
H4030BEN/P 3B 7.5 HP 230V 3PH 3000 PSI 4 GPM	Jacks	gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, downstream low pressure chemical injector, SS coil wrap, 345,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.	SUPER E MOTOR \$7592
H4030BEN/P 3C 7. 5 HP 460V 3PH 3000 PSI 4 GPM			SUPER E MOTOR \$7592
H4030BEN/P 3D 7.5 HP 575V 3PH 3000 PSI 4 GPM			SUPER E MOTOR \$7592
H5030BEN/P 1 10 HP 230V 1PH 3000 PSI 5 GPM			\$9,171
H5030BEN/P 3A 10 HP 208V 3PH 3000 PSI 5 GPM		(SP	SUPER E MOTOR \$8177

Dynablast BEN/P - Electric Powered - Natural Gas or Propane Heated			
Model #		Features	List Price 2014
H5030BEN/P 3B 10 HP 230V 3PH 3000 PSI 5 GPM		Electric powered, available in Natural gas or propane, Easy serviceability, dual	SUPER E MOTOR \$8165
H5030BEN/P 3C 10 HP 460V 3PH 3000 PSI 5 GPM	Indiat	V-belt drive unit, insulated gun w/48" lance, 50 foot hose, downstream low pressure chemical injector, SS coil wrap, 345,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.	SUPER E MOTOR \$8165
H5030BEN/P 3D 10 HP 575V 3PH 3000 PSI 5 GPM		"A" VENT	SUPER E MOTOR \$8165
N⊕₩ HW07177		Stainless steel coil Factory option for BEN/P series. (maximum 3500 psi)	\$1,750
	Dynablast - Ac	cessories	
HR3KIT Designed to easily fit the C4030DEHR C4030DET		3000 psi rated, 150 Foot Capacity using 3/8 hose, All hardware and accessories included for on-site installation,	\$185
HR4KIT Designed to easily fit the following Dynablast Hot water models H2326DGF / H2527DGF H4035DGF H3025DEF1 H3030DEF1 H4030DDF H3030DEF3D		4000 psi rated, 150 Foot Capacity using 3/8 hose, Ruggedly constructed of 12 and 16 gauge steel, Adjustable split bearing brake assembly, Captive (4 sided) hose guide roller assembly provides smooth payout and rewind, Reel is supplied with adjustable cam lock brake assembly, All hardware and accessories included for on-site installation, Hose reel made in the USA.	\$568

Dynablast - Accessories			
Model #		Features	List Price 2014
DYNAHR150 Designed to easily fit the CR Series Excluding CR4035 / CR4040		3000 psi rated, 150 Foot Capacity using 3/8 hose, All hardware and accessories included for on-site installation,	\$185
TDS1151PH 115 Volt 1 Phase 1.5 hp models Time Delay Shutdown Box	275	Time delay shutdown box, 115 volt rated, ABB controls, Contactor, Fuse, Transformer, Timer (adjustable), Terminal blocks, All controls CSA rated. OPTIONAL Installation bracket, Pressure switch or Flow switch	\$485
230 VOIT TDS2301PH 230 Volt 1 Phase 5hp / 6hp / 7.5hp Time Delay Shutdown Box	De la	Time delay shutdown box, 230 volt rated, ABB controls, Contactor, Fuse, Transformer, Timer (adjustable), Terminal blocks, All controls CSA rated. OPTIONAL Installation bracket, Pressure switch or Flow switch	\$900
WMC310 Designed to easily fits any MPU 1.5hp to 7.5hp		Wall mount brackets designed to fit 1.5hp to 7.5hp motor pump units	\$155
CONHRB		Hose reel mounting bracket, Can be used on all Dynablast stainless steel cart models up to 3000 psi rated, designed to fit HR series hose reels. Shown with optional hose reel HR100 (3000psi rated max) Additional parts required to connect to pressure washer, (2) EFF0303ST (Steel Elbow 3/8F x 3/8F), (1) QC7196 (3/8 QC M), (1) HW4MPUB (4ft High pressure hose 3/8M fixed / 3/8M swivel) To use on C4035DGSS change nozzle size to 045	\$42

DYNABLAST COLD - Electric Powered Direct Drive			
Model #		Features	List Price 2014
C2010DEH 1.5 HP 115V 1PH 1000 PSI 2 GPM NO CHEMICAL BASKET		Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Triplex Plunger Pump Integrated detergent feed system and adjustable unloader Thermal protected pump & pressure gauge Pressure gauge Heavy duty wire braided hose 9 metre (30 feet) Premium gun Premium 36" Lance assembly Colour coded quick connect nozzles Weather resistant high gloss powder coated carry handle frame with nozzle holder	\$1,495
EALDOR (FA) (CR2010DE1 1.5 HP 115V 1PH 1000 PSI 2 GPM		Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure	\$1,711
CR2010DET1 1.5 HP 115V 1PH 1000 PSI 2.1 GPM TIME DELAY SHUT DOWN ABB		gauge 50' wire braided hose. Premium gun 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels	\$2,448

DYNABL	AST COLD - Electr	ic Powered Direct Drive	
CR3015DE1 3 HP 230V 1PH 1500 PSI 3 GPM	Imatias	Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure gauge 50' wire braided hose.	\$2,410
CR3621DE1 5 HP 230V 1PH 2100 PSI 3.6 GPM	Amablast	Premium gun 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels	\$2,677
CR3621DET1 5 HP 230V 1PH 2100 PSI 3.6 GPM BALDOR		Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Certified CSA Total Stop Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader with Pressure switch Thermal protected pump & pressure	\$3,703
CR3621DET3D 5 HP 575V 3PH 2100 PSI 3.6 GPM BALDOR		gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun & 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels	SUPER E MOTOR \$3611

DYNABLAST COLD - Electric Powered Direct Drive Continued			
Model #		Features	List Price 2014
C4030DEHR 7.5 HP 230V 1PH 3000 PSI 4 GPM SHOWN WITH OPTIONAL HOSE REEL HR3KIT		Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Flex coupler between motor & pump Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure	\$4,426
C4030DET 7.5 HP 230V 1PH 3000 PSI 4 GPM OPTIONAL HOSE REEL HR3KIT		gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun 48" two section lance assembly Colour coded quick connect nozzles Weather resistant high gloss powder coated frame Cart with lance, hose & nozzle holder 16" pneumatic wheels	\$5,334
DYNAB	LAST COLD - Elect	Itric Powered Belt Drive	
C5320BE1 7.5 HP 230V 1PH 2000 PSI 5.3 GPM	BEI DRIVE	Industrial / Farm application Time Delay Shutdown Totally Enclosed Fan Cooled Baldor Industrial grade motor Belt driven (Longer pump Life) Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump Pressure gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun 109cm dual lance assembly Colour coded quick connect nozzles Weather resistant high gloss powder coated frame Industrial wrap around designed cart Cart with lance, hose, nozzle & chemical holder 13" pneumatic wheels	\$5,948

DYNABLAST COLD - Electric Powered Belt Drive Continued			
Model #		Features	List Price 2014
C5320BE3D 7.5 HP 575V 3PH 2000 PSI 5.3 GPM		Industrial / Farm application Time Delay Shutdown Totally Enclosed Fan Cooled Baldor Industrial grade motor Belt driven (Longer pump Life) Resilient Interpump Triplex Plunger Pump	SUPER E MOTOR \$5579
C5030BE1 10 HP 230V 1PH 3000 PSI 5 GPM	lynaks (Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump Pressure gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun 109cm dual lance assembly Colour coded quick connect nozzles Weather resistant high gloss powder coated frame Industrial wrap around designed cart	\$6,859
C5030BE3D 10 HP 575V 3PH 3000 PSI 5 GPM	Dynakes 9	Cart with lance, hose, nozzle & chemical holder 13" pneumatic wheels	SUPER E MOTOR \$6148
OF FIELD UNIT OF 420BE3A 5 HP 208V 3PH 2000 PSI 3.7 GPM		Rugged 2 gauge powder-coated steel base and 11 gauge Belt guard. Easily removable vented belt guard for belt life. Built-in pump puller for easier belt tensioning. Balanced lifting eyelet. Heavy duty wire braided hose 15.2 metre (50 feet), 1/4 meg nozzle Premium gun 109cm dual lance assembly Available in various voltages. Optional Allan-Bradley 609 starter box.	SUPER E MOTOR \$3330

DYNA - 01 14 Pricing effective January 20th 2014 Page 2

DYNABLAST COLD - Gasoline Powered Direct Drive			
Model #		Features	List Price 2014
CR3025DG 6.5 HP Honda GX 2500 PSI 3 GPM Powered by HONDA ENGINES		TEAPUNP GROUP	\$1,676
CR4035DG 13 HP Honda GX 3500 PSI 3.8 GPM Powered by HONDA ENGINES	Imalias 1	Industrial / Farm application Industrial grade Honda GX / Subaru EX engine with oil alert Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder	\$2,279
CR4040DG 14 HP Subaru EX 4000 PSI 4.0 GPM SUBARU Robin Industrial Engines		10" never go flat wheels	\$2,442

DYNABLAST COLD - Gasoline Powered Belt Drive			
Model #		Features	List Price 2014
CR4035BG 13 HP Honda GX 3500 PSI 3.8 GPM		Industrial / Farm application Industrial grade Honda GX with oil alert Resilient Interpump Triplex Plunger Pump Belt driven (Longer pump Life) Premium separate unloader, thermal protected pump & pressure gauge	\$2,455
CR4035BGS 13 HP Honda GX 3500 PSI 3.8 GPM	6	Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun & stainless steel lance combination Weather resistant high gloss powder coated frame Colour coded quick connect nozzles 13 " never go flat wheels Powered by HONDA ENGINES	\$3,153
CR5050BG 24 HP Honda GX690 V TWIN 5000 PSI 5 GPM		Industrial / Farm application Industrial grade Honda GX "V" twin engine with electric start (12 volt) Low tone muffler and 6 gallon fuel tank Resilient Interpump Triplex Plunger Pump Belt driven (Longer pump Life) Pressure gauge, premium separate unloader, pressure relief valve, and thermal protected pump Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun & stainless steel lance combination (48") Weather resistant high gloss powder coated frame Industrial wrap around designed cart, with lance, hose holder and 13" pneumatic wheels	\$8,000

Dynablast HT - Electric Powered Direct Drive				
Model #		Features	List Price 2014	
C5004HTSS 1.5 HP 115V 1PH TEFC 500 PSI 4 GPM		BALDOR EN LITERAN BROWN	\$2,754	
C1904HTSS 5 HP 230V 1PH TEFC 1900 PSI 4 GPM		Food Processing / Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump HT Triplex Plunger Pump (High Temperature) Premium separate unloader Thermal protected pump up to 190	\$3,569	
C1904HTDS 5 HP 230V 1PH TEFC 1900 PSI 4 GPM	0	degrees Blue neptune high pressure hose (5hp - 50') & (1.5hp - 30') Premium PA gun & 36" stainless steel lance Flex coupled pump for softer start up and increased motor life Weather resistant stainless steel frame Reversible handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels	\$4,774	
C1904HTDS3D 5 HP 575V 3PH TEFC 1900 PSI 4 GPM		HGH TEMPERATURE MODEL UP TO 185 DEGREES SP	SUPER E MOTOR \$4632	

DYNABLAST COLD - Electric Powered Belt Drive				
Model #		Features	List Price 2014	
MPUB3530E1 7.5 HP 230V 1PH TEFC 3000 PSI 3.5 GPM		Food Processing / Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Plunger Pump Premium separate unloader with built in pressure switch Thermal protected pump Industrial grade wire braided high pressure hose (50') Premium PA gun & 36" stainless steel lance Belt driven for longer pump life Weather resistant stainless steel hood Time delay shutdown Down stream chemical injector Built in pressure gauge	\$6,566	
MPUB5030E1 10 HP 230V 1PH TEFC 3000 PSI 5.0 GPM			\$7,220	
MPUBCART		Heavy duty cart with 13" wheels and locking casters, mounting bracket for a hose reel, designed to fit MPUB SS Hood series	\$680	
MPUBHR Hannay Reels		MPUBHR contains Hannay PW2 (4000psi rated) quality hose reel, high pressure hose extension with quick connects and hardware	\$535	
MPUB1030E3D 20 HP 575V 3PH TEFC 3000 PSI 10 GPM	Nynablasi	In-plant / Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Plunger Pump Premium separate unloader Thermal protected pump Phoenix flow switch Belt driven for longer pump life Black powder coated base with belt guard Time delay shutdown Pressure gauge	\$7,264	
ACCESSORIES OPTIONAL		ABB 🗪 🏵		